

Approved by FDA&CE

QBit 7

Experience the Ultra-Mobility

CHISON
Value Beyond Imaging

WWW.CHISON.COM

Ergonomics

FLUIDWORK

19" LED up & down
90° foldable



The LED screen can be rotated left and right $-90^{\circ}\sim 90^{\circ}$ allow different viewing angles of patients and operators

Stereo audio system



Floating keyboard with left/right rotation $-45^{\circ}\sim 45^{\circ}$, up/down height adjustment 0cm~15cm



Backlit keys



USB ports



Removable dust filter.



Print paper face to the front, for easy access.

Built-in battery 80 min (option)




Four wheels with locks

35.6 cm
Small foot print


Advanced

Technologies




Q-beam

- Compared to the traditional dual-beam former on most ultrasound machines, the QBit uses quad-beam technology for ultrasound signal receiving.
- Doubles the volume of signals received over traditional methods, increasing image resolution and generating more accurate images.
- Produces higher frame rates, ensuring better diagnostic confidence and efficiency, especially for moving organs.



FHI

- FHI is an innovative harmonic imaging technology that uses multiple transmission and receiving methods based on the patients' size and weight. This allows the QBit to maintain image resolution when imaging larger patients.
- Traditional Tissue Harmonics and Phased Harmonics compromise image quality and resolution when penetration is increased.
- Chison's FHI technology greatly improves diagnostic abilities and clinical confidence in larger, difficult-to-image patients.




FHI OFF

FHI ON

X-contrast

- The QBit allows one-touch user-adjusted contrast resolution based upon differences in tissue density.
- Enhance, Normal, and Suppress settings increase or decrease contrast resolution, based on the tissue type and user preference.




Enhance

Normal

Suppress

Q-flow


- This adaptive color detection technology can automatically adjust the assessment of color signal and noise according to different tissues.
- As a result, color sensitivity of low-velocity flow is significantly enhanced.



OFF

ON


General Imaging



Brachial Plexus, B Mode



Kidney ,PD Mode



Femoral Artery ,PW Mode


Women's Healthcare



Fetal Heart, B Mode




Early Pregnancy, B Mode




Umbilical Cord, PW Mode



Fetal Body, 4D Mode




Fetal Face, Virtual HD




Fetal Hand, Depth View


Cardiology Performance




MV Short Axis View,B Mode




Papillary Muscle Short Axis,B Mode




MV Regurtation,B/BC Mode




Aorta Valve,PW Mode




Cardiac Two Chambers,CW Mode




Aorta Short Axis View,C Mode



Papillary Muscles, TDI M Mode



MV Short Axis View, Free M Mode



Apical Four Chambers, Color M Mode

Specifications

Imaging Modes

- B, 2B, 4B, B/M
- CFM,B/BC
- PW/CW
- PD, Directional PD
- Duplex, Instant Triplex, Quadplex
- Trapezoidal Imaging
- Curved Panoramic Imaging(option)
- 2D Steer(option)
- Chroma B/M/PW/CW
- 4D (option)
- Virtual HD/Depth View (option)
- Steer M, Color M, TDI (option)
- ECG (option)

Image Processing Technologies

- Speckle Reduction Algorithm (SRA)
- Multiple Compound Imaging (MCI)
- Q-image
- Q-flow
- X-contrast
- Q-beam
- FHI
- Super Needle

Professional Clinical Applications

- ABD
- OB / GYN
- Vascular
- MSK
- Small Parts
- Urology
- Pediatrics
- Cardiac



2.0MHz-6.8MHz Convex
D3C60L



4.0MHz-15.0MHz Linear
D7L40L



7.0MHz-18.0MHz(With FHI) Linear
D12L40L



4.0MHz-12.0MHz Transvaginal
D6C12L



4.0MHz-15.0MHz Transvaginal
D7C10L



4.0MHz-15.0MHz Trans Rectal
D7L40L-REC



2.0MHz-6.8MHz Micro-Convex
D3C20L



4.0MHz-10.7MHz Micro-Convex
D5C20L



2.0MHz-6.8MHz Volume
V4C40L



1.5MHz-5.3MHz Phased array
D3P64L



2.0MHz-8.0MHz Phased array
D6P64L



4.0MHz-12.0MHz Micro-Convex
D6C15L

CHISON MEDICAL IMAGING CO., LTD.

Sales & Service Contact Address:

No. 9 Xin Hui Huan Road, New District, Wuxi, Jiang Su Province, China214028

TEL: 0086-510-85310593 / 85310937 FAX: 0086-510-85310726 EMAIL: export@chison.com.cn

We reserve the right to make changes to this catalogue without prior notice
Please contact our local dealer for the latest information.

EQBit 7-161028